

S16	3546	((scan\$5 or read\$5) with ((built adj2 in) or embed\$5) with ((process\$5 or correct\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:44
S17	412	S16 and ((scan\$5 or read\$5) near5 (connect\$5 or communicat\$5 or attach\$5) near5 (computer or processor or cpu or (imag\$3 adj2 process\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:44
S18	0	S17 and ((select\$5 or choos\$5) near5 process\$5 with mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:49
S19	53	S17 and ((select\$5 or choos\$5) with mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:52
S20	0	S17 and ((select\$5 or choos\$5) with correct\$5 with mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 11:00
S21	0	358/505,474,527,516,518,519,461,521,530,448,524,523,498.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:50
S22	8580	358/505,474,527,516,518,519,461,521,530,448,524,523,498.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:50
S23	1	S19 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:51
S24	3	S19 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:51
S25	15	S17 and (mode with (scan\$5 or read\$5) with (process\$5 or correct\$5)) and (mode with (computer or cpu or processor or (imag\$3 near2 process\$5)) with (correct\$5 or process\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:57
S26	7	S17 and ((scan\$5 or read\$5) with (correct\$5) with imag\$3) and ((computer or cpu or processor or (imag\$3 near2 process\$5)) with (correct\$5) with imag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:59

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1122	((scanner or scanning or reader) with (correct\$5) with imag\$3 with (unit or section)) same ((computer or cpu or processor or (imag\$3 near2 process\$5)) with (correct\$5) with imag\$5 with (unit or section))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:06
L2	16	1 and (mode with set\$5 with (correct\$5) with (scanner or scanning or reader) with (computer or processor or cpu or (imag\$5 adj3 process\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 12:34
L3	3	1 and (mode with set\$5 with (correct\$5) with (in or inside or by) with (scanner or scanning or reader))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 12:35
L4	19	1 and (mode with (correct\$5) with (in or inside or by) with (scanner or scanning or reader))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 12:36
L5	4	1 and (mode with (correct\$5) with (in or inside or by) adj3 (scanner or scanning or reader))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 12:37
L6	5	1 and (mode same (correct\$5) with (in or inside or by) adj3 (scanner or scanning or reader))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 12:38
L7	42	1 and ((shading near3 correct\$5) near5 (perform\$5) with (scanner or scanning or reading or reader)) and ((shading near3 correct\$5) near5 (perform\$5) with (computer or processor or cpu or (imag\$3 adj3 process\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 12:39
L8	1350	((scanner or scanning or reader) with (correct\$5) with imag\$3 with (unit or section)) and ((computer or cpu or processor or (imag\$3 near2 process\$5)) with (correct\$5) with imag\$5 with (unit or section))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 12:44
L10	492	8 and ((scanner or scanning or reader) with (connect\$5 or communicat\$5) with (computer or cpu or processor or (imag\$3 near2 process\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 12:45
L11	124	10 and ((scanner or reader or scanning or reading) near5 (forward\$5 or transmi\$6 or send\$3) near3 imag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 12:46

L12	13	10 and ((scanner or reader or scanning or reading) near5 (forward\$5 or transmi\$6 or send\$3) near3 imag\$5 with correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 12:56
L14	0	12 and ((user or operator) near5 (select\$5 or choos\$5) near5 correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 12:57
L15	13	10 and ((user or operator) near5 (select\$5 or choos\$5) near5 correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:00
L16	0	1 and ((user or operator) near5 (select\$5 or choos\$5) near5 (where or which) near3 (perform\$5) near5 correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:01
L17	2	1 and ((user or operator) near5 (select\$5 or choos\$5) near6 (perform\$5) near5 correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:01
L18	0	1 and ((select\$5 or choos\$5 or set\$4) near5 (where or which) near3 (perform\$5) near5 correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:02
L19	105	1 and ((select\$5 or choos\$5 or set\$4) near5 (perform\$5) near5 correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:02
L20	15	1 and ((select\$5 or choos\$5 or set\$4) near5 (perform\$5) near5 correct\$5 near5 (scanner or scanning or reader or reading))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:08
L21	3430	((scanner or scanning or reader) with (correct\$5) with imag\$3) same ((computer or cpu or processor or (imag\$3 near2 process\$5)) with (correct\$5) with imag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:06
L22	3	21 and (((built adj2 in) or embed\$5) near4 correct\$5 near5 (scanner or scanning or reader or reading))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:09

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S6	533	((scan\$5 or read\$5) with (built or (built adj2 in) or embed\$5) with (imag\$5 near2 (process\$5 or correct\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:33
S7	53	S6 and ((scan\$5 or read\$5) near5 (connect\$5 or communicat\$5 or attach\$5) near5 (computer or processor or cpu or (imag\$3 adj2 process\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:35
S8	1	S7 and ((user or operator) near5 (setting or option) with process\$5 with mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:29
S9	2	S7 and ((user or operator) near5 process\$5 with mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:30
S10	5	S7 and ((select\$5 or choos\$5) near5 process\$5 with mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:49
S11	15	S6 and ((select\$5 or choos\$5) near5 process\$5 with mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:31
S12	1457	((scan\$5 or read\$5) with ((built near3 internal\$5) or (built adj2 in) or embed\$5 or inside or internal\$5) with (imag\$5 near2 (process\$5 or correct\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:42
S13	169	S12 and ((scan\$5 or read\$5) near5 (connect\$5 or communicat\$5 or attach\$5) near5 (computer or processor or cpu or (imag\$3 adj2 process\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:44
S14	19	S13 and ((select\$5 or choos\$5) near5 process\$5 with mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:35
S15	19154	((scan\$5 or read\$5) with ((built near3 internal\$5) or (built adj2 in) or embed\$5 or inside or internal\$5) with ((process\$5 or correct\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:44

S27	4831	((scanner or scanning or reader) with (correct\$5) with imag\$3) and ((computer or cpu or processor or (imag\$3 near2 process\$5)) with (correct\$5) with imag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 11:12
S28	721	S27 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 11:00
S29	67	S28 and ((select\$5 or choos\$5) with correct\$5 with mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 11:00
S30	3430	((scanner or scanning or reader) with (correct\$5) with imag\$3) same ((computer or cpu or processor or (imag\$3 near2 process\$5)) with (correct\$5) with imag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 12:31
S31	33	((scanner or scanning or reader) with (correct\$5) with imag\$3) same ((computer or cpu or processor or (imag\$3 near2 process\$5)) with (correct\$5) with imag\$5) same ((select\$5 or choos\$5) with mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 11:19
S32	0	S31 and ((select\$5 or choos\$5) near4 where)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 11:20
S33	0	S31 and ((select\$5 or choos\$5) with where with correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 11:20
S34	0	S30 and ((select\$5 or choos\$5) with where with correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 11:20
S35	0	S27 and ((select\$5 or choos\$5) with where with correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 11:20
S36	0	S27 and ((select\$5 or choos\$5) with which with correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 11:20
S37	0	S27 and ((select\$5 or choos\$5 or mode) with which with correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 11:20

S38	170	S27 and ((select\$5 or choos\$5 or mode) with whether with correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 11:21
S39	117	S27 and ((select\$5 or choos\$5) with whether with correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 11:21
S40	6	S31 and ((select\$5 or choos\$5) with whether with correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 11:21
S63	4578	(calibrat\$5 near5 (scanner or scanning or reader))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:14
S64	68	S63 and (calibrat\$5 near5 (perform\$5) near3 (computer or cpu or processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:15
S65	36	S64 and (calibrat\$5 near5 (perform\$5) near3 (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:13
S66	1	S65 and ((select\$5 or choos\$5) near3 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:12
S67	22	(external\$5 near4 calibrat\$5 near5 (scanner or scanning or reader))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:14
S68	6	S63 and ((color near3 correct\$5) near5 (perform\$5) near3 (computer or cpu or processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:18
S69	0	S63 and ((color near3 correct\$5) near5 (perform\$5) near3 (computer or cpu or processor) near4 (scanner or scanning or reader or reading))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:18
S70	3	S63 and ((correct\$5) near5 (perform\$5) near3 (computer or cpu or processor) near4 (scanner or scanning or reader or reading))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:27

S71	0	S63 and ((select\$5 or choos\$5) near5 (mode) near6 (scann\$4 or read\$5) near4 (execut\$5 or perform\$5) near4 correct\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:29
S72	10	((select\$5 or choos\$5) near5 (mode) near6 (scann\$4 or read\$5) near4 (execut\$5 or perform\$5) near4 correct\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:31
S73	140	((select\$5 or choos\$5) near5 (mode) near6 (scann\$4 or read\$5) near4 correct\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:31
S74	56	((select\$5 or choos\$5) near5 (mode) near6 (scann\$4 or read\$5) near4 correct\$6 with imag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:36
S75	0	S74 and (scan\$5 with busy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 14:46
S76	1	"6757081".pn. and document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 14:49
S77	1	"6757081".pn. and (page or sheet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 14:50
S78	1	"6757081".pn. and (subsequen\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 16:31
S79	1	"6757081".pn. and (scan\$5 with us\$3 with sett\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 16:30
S80	1	"6757081".pn. and (preview\$5 with process\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 16:34
S81	1	"6757081".pn. and (preview\$5 near2 scan\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 16:38

S82	1	"6757081".pn. and (final near2 scan\$5 with setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 16:38
S83	1	"6757081".pn. and ((final near2 scan\$5 with setting) same subsequen\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 16:38